

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptau121bd

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
NEWS 2 "Ask CAS" for self-help around the clock  
NEWS 3 JUL 12 BEILSTEIN enhanced with new display and select options,  
resulting in a closer connection to BABS  
NEWS 4 AUG 02 IFIPAT/IFIUDB/IFICDB reloaded with new search and display  
fields  
NEWS 5 AUG 02 Cplus and CA patent records enhanced with European and Japan  
Patent Office Classifications  
NEWS 6 AUG 02 The Analysis Edition of STN Express with Discover!  
(Version 7.01 for Windows) now available  
NEWS 7 AUG 27 BIOCOMMERCE: Changes and enhancements to content coverage  
NEWS 8 AUG 27 BIOTECHABS/BIOTECHDS: Two new display fields added for legal  
status data from INPADOC  
NEWS 9 SEP 01 INPADOC: New family current-awareness alert (SDI) available  
NEWS 10 SEP 01 New pricing for the Save Answers for SciFinder Wizard within  
STN Express with Discover!  
NEWS 11 SEP 01 New display format, HITSTR, available in WPIDS/WPINDEX/WPIX  
NEWS 12 SEP 27 STANDARDS will no longer be available on STN  
NEWS 13 SEP 27 SWETSCAN will no longer be available on STN  
NEWS 14 OCT 28 KOREAPAT now available on STN  
  
NEWS EXPRESS OCTOBER 29 CURRENT WINDOWS VERSION IS V7.01A, CURRENT  
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),  
AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS INTER General Internet Information  
NEWS LOGIN Welcome Banner and News Items  
NEWS PHONE Direct Dial and Telecommunication Network Access to STN  
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN Customer  
agreement. Please note that this agreement limits use to scientific  
research. Use for software development or design or implementation  
of commercial gateways or other similar uses is prohibited and may  
result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 14:38:48 ON 09 NOV 2004

=> fil reg

FILE 'REGISTRY' ENTERED AT 14:39:05 ON 09 NOV 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 8 NOV 2004 HIGHEST RN 777024-10-9  
DICTIONARY FILE UPDATES: 8 NOV 2004 HIGHEST RN 777024-10-9

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:  
<http://www.cas.org/ONLINE/DBSS/registryss.html>


\*\*\* YOU HAVE NEW MAIL \*\*\*

'REGISTRY' IS DEFAULT FORMAT FOR 'REGISTRY' FILE

=> => d sia

L1 HAS NO ANSWERS

L1 STR



VAR G1=C/N

REP G2=(1-2) C

NODE ATTRIBUTES:

HCOUNT IS E2 AT 5

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 19

STEREO ATTRIBUTES: NONE

=> s l1

SAMPLE SEARCH INITIATED 14:56:43 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 67 TO ITERATE

100.0% PROCESSED 67 ITERATIONS

6 ANSWERS

SEARCH TIME: 00.00.01


FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 849 TO 1831  
PROJECTED ANSWERS: 6 TO 266

L2 6 SEA SSS SAM L1

=> d scan

L2 6 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Pentonic acid, 2-[(5-bromo-3-nitro-2-pyridinyl)amino]-4-C-(4-cyanophenyl)-  
2,3,5-trideoxy-,  $\gamma$ -lactone (9CI)  
MF C17 H13 Br N4 O4



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> s l1 ful

FULL SEARCH INITIATED 14:57:06 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 1383 TO ITERATE

100.0% PROCESSED 1383 ITERATIONS  
SEARCH TIME: 00.00.01

172 ANSWERS

L3 172 SEA SSS FUL L1

=> d tot reg

1	RN	486448-49-1	REGISTRY
2	RN	486448-48-0	REGISTRY
3	RN	486448-47-9	REGISTRY
4	RN	486448-46-8	REGISTRY
5	RN	486448-45-7	REGISTRY
6	RN	486448-44-6	REGISTRY
7	RN	486448-43-5	REGISTRY
8	RN	486448-42-4	REGISTRY
9	RN	486448-41-3	REGISTRY
10	RN	486448-40-2	REGISTRY
11	RN	486448-39-9	REGISTRY
12	RN	486448-38-8	REGISTRY
13	RN	486448-37-7	REGISTRY
14	RN	486448-36-6	REGISTRY
15	RN	486448-35-5	REGISTRY
16	RN	486448-34-4	REGISTRY
17	RN	486448-33-3	REGISTRY
18	RN	486448-32-2	REGISTRY
19	RN	486448-30-0	REGISTRY
20	RN	486448-29-7	REGISTRY
21	RN	486448-28-6	REGISTRY
22	RN	486448-27-5	REGISTRY
23	RN	486448-26-4	REGISTRY


24	RN	486448-25-3	REGISTRY
25	RN	486448-24-2	REGISTRY
26	RN	486448-23-1	REGISTRY
27	RN	486448-22-0	REGISTRY
28	RN	486448-21-9	REGISTRY
29	RN	486448-20-8	REGISTRY
30	RN	486448-19-5	REGISTRY
31	RN	486448-18-4	REGISTRY
32	RN	486448-17-3	REGISTRY
33	RN	486448-16-2	REGISTRY
34	RN	486448-15-1	REGISTRY
35	RN	486448-14-0	REGISTRY
36	RN	486448-13-9	REGISTRY
37	RN	486448-12-8	REGISTRY
38	RN	486448-11-7	REGISTRY
39	RN	486448-10-6	REGISTRY
40	RN	486448-09-3	REGISTRY
41	RN	486448-08-2	REGISTRY
42	RN	486448-03-7	REGISTRY
43	RN	486448-01-5	REGISTRY
44	RN	486448-00-4	REGISTRY
45	RN	486447-99-8	REGISTRY
46	RN	486447-98-7	REGISTRY
47	RN	486447-97-6	REGISTRY
48	RN	486447-96-5	REGISTRY
49	RN	486447-95-4	REGISTRY
50	RN	486447-94-3	REGISTRY
51	RN	486447-93-2	REGISTRY
52	RN	486447-92-1	REGISTRY
53	RN	486447-91-0	REGISTRY
54	RN	486447-90-9	REGISTRY
55	RN	486447-89-6	REGISTRY
56	RN	486447-88-5	REGISTRY
57	RN	486447-87-4	REGISTRY
58	RN	486447-86-3	REGISTRY
59	RN	486447-85-2	REGISTRY
60	RN	486447-84-1	REGISTRY
61	RN	486447-83-0	REGISTRY
62	RN	486447-82-9	REGISTRY
63	RN	486447-81-8	REGISTRY
64	RN	486447-80-7	REGISTRY
65	RN	486447-78-3	REGISTRY
66	RN	486447-77-2	REGISTRY
67	RN	486447-76-1	REGISTRY
68	RN	486447-75-0	REGISTRY
69	RN	484053-57-8	REGISTRY
70	RN	484053-56-7	REGISTRY
71	RN	484053-55-6	REGISTRY
72	RN	484053-54-5	REGISTRY
73	RN	484053-53-4	REGISTRY
74	RN	484053-52-3	REGISTRY
75	RN	484053-51-2	REGISTRY
76	RN	484053-50-1	REGISTRY
77	RN	484053-49-8	REGISTRY
78	RN	484053-48-7	REGISTRY
79	RN	484053-47-6	REGISTRY
80	RN	484053-46-5	REGISTRY
81	RN	484053-45-4	REGISTRY
82	RN	484053-44-3	REGISTRY
83	RN	484053-43-2	REGISTRY
84	RN	484053-42-1	REGISTRY
85	RN	484053-41-0	REGISTRY
86	RN	484053-40-9	REGISTRY
87	RN	484053-39-6	REGISTRY
88	RN	484053-38-5	REGISTRY

89	RN	484053-37-4	REGISTRY
90	RN	484053-36-3	REGISTRY
91	RN	484053-35-2	REGISTRY
92	RN	484053-34-1	REGISTRY
93	RN	484053-33-0	REGISTRY
94	RN	484053-32-9	REGISTRY
95	RN	484053-31-8	REGISTRY
96	RN	484053-30-7	REGISTRY
97	RN	484053-29-4	REGISTRY
98	RN	484053-28-3	REGISTRY
99	RN	484053-27-2	REGISTRY
100	RN	484053-26-1	REGISTRY
101	RN	484053-25-0	REGISTRY
102	RN	484053-24-9	REGISTRY
103	RN	484053-23-8	REGISTRY
104	RN	484053-22-7	REGISTRY
105	RN	484053-21-6	REGISTRY
106	RN	484053-20-5	REGISTRY
107	RN	484053-19-2	REGISTRY
108	RN	484053-18-1	REGISTRY
109	RN	484053-17-0	REGISTRY
110	RN	484053-16-9	REGISTRY
111	RN	484053-15-8	REGISTRY
112	RN	484053-14-7	REGISTRY
113	RN	484053-13-6	REGISTRY
114	RN	484053-12-5	REGISTRY
115	RN	484053-11-4	REGISTRY
116	RN	484053-10-3	REGISTRY
117	RN	484053-09-0	REGISTRY
118	RN	484053-08-9	REGISTRY
119	RN	484053-07-8	REGISTRY
120	RN	484053-06-7	REGISTRY
121	RN	484053-05-6	REGISTRY
122	RN	484053-04-5	REGISTRY
123	RN	484053-03-4	REGISTRY
124	RN	484053-02-3	REGISTRY
125	RN	484053-01-2	REGISTRY
126	RN	484053-00-1	REGISTRY
127	RN	484052-99-5	REGISTRY
128	RN	484052-98-4	REGISTRY
129	RN	484052-97-3	REGISTRY
130	RN	484052-96-2	REGISTRY
131	RN	484052-95-1	REGISTRY
132	RN	484052-94-0	REGISTRY
133	RN	484052-93-9	REGISTRY
134	RN	484052-92-8	REGISTRY
135	RN	484052-91-7	REGISTRY
136	RN	484052-90-6	REGISTRY
137	RN	484052-89-3	REGISTRY
138	RN	484052-88-2	REGISTRY
139	RN	484052-87-1	REGISTRY
140	RN	484052-86-0	REGISTRY
141	RN	484052-85-9	REGISTRY
142	RN	484052-84-8	REGISTRY
143	RN	484052-83-7	REGISTRY
144	RN	484052-82-6	REGISTRY
145	RN	484052-81-5	REGISTRY
146	RN	484052-80-4	REGISTRY
147	RN	484052-79-1	REGISTRY
148	RN	484052-78-0	REGISTRY
149	RN	484052-77-9	REGISTRY
150	RN	484052-76-8	REGISTRY
151	RN	484052-75-7	REGISTRY
152	RN	484052-74-6	REGISTRY
153	RN	484052-73-5	REGISTRY

154	RN	484052-72-4	REGISTRY
155	RN	484052-71-3	REGISTRY
156	RN	484052-70-2	REGISTRY
157	RN	484052-69-9	REGISTRY
158	RN	484052-68-8	REGISTRY
159	RN	484052-67-7	REGISTRY
160	RN	484052-66-6	REGISTRY
161	RN	484052-65-5	REGISTRY
162	RN	484052-64-4	REGISTRY
163	RN	484052-63-3	REGISTRY
164	RN	484052-62-2	REGISTRY
165	RN	484052-61-1	REGISTRY
166	RN	484052-60-0	REGISTRY
167	RN	484052-59-7	REGISTRY
168	RN	484052-58-6	REGISTRY
169	RN	484052-57-5	REGISTRY
170	RN	484052-56-4	REGISTRY
171	RN	484052-55-3	REGISTRY
172	RN	325482-22-2	REGISTRY

=> d 68 69 sub bib abs

L3 ANSWER 68 OF 172 REGISTRY COPYRIGHT 2004 ACS on STN  
 RN 486447-75-0 REGISTRY  
 CN Pentonic acid, 2,3,5-trideoxy-4-C-(2,4-dimethylphenyl)-2-[(8-hydroxy-2-quinolinyl)amino]-,  $\gamma$ -lactone (9CI) (CA INDEX NAME)  
 FS 3D CONCORD  
 MF C22 H22 N2 O3  
 SR CA  
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
 DT.CA CAplus document type: Patent  
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

#### REFERENCE 1

AN 138:106595 CA  
 TI Use of substituted gamma-lactone compounds as medicaments  
 IN Maul, Corinna; Sundermann, Bernd; Przewosny, Michael; Hennies, Hagen-Heinrich  
 PA Gruenenthal G.m.b.H., Germany  
 SO PCT Int. Appl., 63 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA German  
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	-----	-----	-----	-----


PI WO 2003004016 A1 20030116 WO 2002-EP7382 20020703  
 WO 2003004016 C1 20030213  
 W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,  
 CO, CR, CU, CZ, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM,  
 HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS,  
 LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL,  
 PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA,  
 UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM  
 RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG,  
 CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL,  
 PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR,  
 NE, SN, TD, TG  
 DE 10132726 A1 20030227 DE 2001-10132726 20010705  
 EP 1406610 A1 20040414 EP 2002-754819 20020703  
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,  
 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK  
 US 2004176394 A1 20040909 US 2004-751737 20040105  
 PRAI DE 2001-10132726 20010705  
 WO 2002-EP7382 20020703  
 GI



AB Substituted gamma-lactone compds. [I; R1 = (un)substituted 2-pyridyl,  
 (un)substituted 2-pyrimidyl-, (un)substituted 2-quinolinyl,  
 (un)substituted 2-pyrazinyl; R2 = (un)substituted (un)branched (un)saturated  
 C1-10 aliphatic residue; R3 = (un)substituted aryl; R4 = H; etc.; e.g.,  
 3-(4,6-dimethylpyridin-2-ylamino)-5-methyl-5-p-tolyldihydrofuran-2-one  
 which demonstrated a 60% reduction of nitrogen monoxide synthase activity at  
 10 µM], which are prepared in an automated device, are useful in the  
 production of medicines for treating septic shock, neurodegenerative diseases,  
 multiple sclerosis, Parkinsonism, Alzheimer's disease, Huntington's  
 disease, inflammation and related pain, cerebral ischemia, diabetes,  
 meningitis, arteriosclerosis, cancer, mycosis, or for promoting wound  
 healing.

RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 69 OF 172 REGISTRY COPYRIGHT 2004 ACS on STN  
 RN 484053-57-8 REGISTRY  
 CN 2(3H)-Furanone, 5-butyl-3-[(3,5-dichlorophenyl)amino]dihydro-5-phenyl-  
 (9CI) (CA INDEX NAME)  
 MF C20 H21 Cl2 N O2  
 SR CA  
 LC STN Files: CA, CAPLUS, USPATFULL  
 DT.CA CAplus document type: Patent  
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES  
 (Uses)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1

AN 138:89684 CA  
TI Preparation of  $\gamma$ -lactones as NMDA antagonists  
IN Maul, Corinna; Przewosny, Michael; Englberger, Werner  
PA Gruenenthal G.m.b.H., Germany  
SO PCT Int. Appl., 66 pp.  
CODEN: PIXXD2  
DT Patent  
LA German  
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003004483	A1	20030116	WO 2002-EP7380	20020703
	W:				AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
	RW:				GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
	EP 1406888	A1	20040414	EP 2002-743260	20020703
	R:				AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, BG, CZ, EE
	US 2004171677	A1	20040902	US 2004-751741	20040105
PRAI	DE 2001-10132725		20010705		
	WO 2002-EP7380		20020703		

GI




AB Title compds. [I; R1 = (substituted) (hetero)aryl, (hetero)arylalkyl, (substituted) (saturated) (branched) (cyclo)aliphatic group; R2 = (substituted) (saturated) (branched) aliphatic group; R3 = (substituted) aryl; R4 = H; or R3R4

= (substituted) (saturated) aliphatic residue if R2 = (substituted) aryl,  
(substituted) (saturated) aliphatic residue], were prepared Several I at 10  
μM  
showed affinity to glycine binding site of NMDA receptor channel with IC50  
= 62-80% (Ki = 0.8-1.3 μM).  
RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d 172 sub bib abs

L3 ANSWER 172 OF 172 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 325482-22-2 REGISTRY  
CN Pentonic acid, 2,3,5-trideoxy-4-C-phenyl-2-[(2,4,6-trichlorophenyl)amino]-  
, γ-lactone (9CI) (CA INDEX NAME)  
FS 3D CONCORD  
MF C17 H14 Cl3 N O2  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT  
DT.CA Caplus document type: Journal  
RL.NP Roles from non-patents: PREP (Preparation)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1

AN 134:162877 CA  
TI Synthesis of α-amino γ-lactone via a novel tandem  
three-component reaction of alkenes, glyoxylates and amines  
AU Huang, T.; Li, C.-J.  
CS Department of Chemistry, Tulane University, New Orleans, LA, 70118, USA  
SO Tetrahedron Letters (2000), 41(50), 9747-9751  
CODEN: TELEAY; ISSN: 0040-4039  
PB Elsevier Science Ltd.  
DT Journal  
LA English  
AB α-Amino γ-lactones were generated by an InCl3-mediated or  
Sc(O3SCF3)3-catalyzed three-component reaction of alkenes, glyoxylates,  
and amines.  
RE.CNT 33 THERE ARE 33 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> fil caplus  
FILE 'CAPLUS' ENTERED AT 14:59:52 ON 09 NOV 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 Nov 2004 VOL 141 ISS 20  
FILE LAST UPDATED: 8 Nov 2004 (20041108/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l3  
L4 3 L3

=> fil beil  
FILE 'BEILSTEIN' ENTERED AT 15:00:30 ON 09 NOV 2004  
COPYRIGHT (c) 2004 Beilstein-Institut zur Foerderung der Chemischen Wissenschaften  
licensed to Beilstein GmbH and MDL Information Systems GmbH

FILE RELOADED ON OCTOBER 20, 2002  
FILE LAST UPDATED ON NOVEMBER 3, 2004

FILE COVERS 1771 TO 2004.  
\*\*\* FILE CONTAINS 9,073,068 SUBSTANCES \*\*\*

>>>PLEASE NOTE: Reaction Data and substance data are stored in separate documents and can not be searched together in one query. Reaction data for BEILSTEIN compounds may be displayed immediately with the display codes PRE (preparations) and REA (reactions). A substance answer set retrieved after the search for a chemical name, a compounds with available reaction information by combining with PRE/FA, REA/FA or more generally with RX/FA. The BEILSTEIN Registry Number (BRN) is the link between a BEILSTEIN compound and belonging reactions. For more detailed reaction searches BRNs can be searched as reaction partner BRNs Reactant BRN (RX.RBRN) or Product BRN (RX.PBRN).<<<

>>> FOR SEARCHING PREPARATIONS SEE HELP PRE <<<

\*\*\*\*\*  
\* PLEASE NOTE THAT THERE ARE NO FORMATS FREE OF COST. \*  
\* SET NOTICE FEATURE: THE COST ESTIMATES CALCULATED FOR SET NOTICE \*  
\* ARE BASED ON THE HIGHEST PRICE CATEGORY. THEREFORE; THESE \*  
\* ESTIMATES MAY NOT REFLECT THE ACTUAL COSTS. \*  
\* FOR PRICE INFORMATION SEE HELP COST \*  
\*\*\*\*\*

#### NEW

\* PATENT NUMBERS (PN) AND BABS ACCESSION NUMBERS (BABSAN) CAN NOW BE SEARCHED, SELECTED AND TRANSFERRED.  
\* NEW DISPLAY FORMATS ALLREF, ALLP AND BABSAN SHOW ALL REFERENCES, ALL PATENT REFERENCES, OR ALL BABS ACCESSION NUMBERS FOR A COMPOUND AT A GLANCE.

\*\*\* YOU HAVE NEW MAIL \*\*\*

=> s l1 ful  
 FULL SEARCH INITIATED 15:00:36 FILE 'BEILSTEIN'  
 FULL SCREEN SEARCH COMPLETED - 674 TO ITERATE

100.0% PROCESSED 674 ITERATIONS  
 SEARCH TIME: 00.00.10


1 ANSWERS

L5 1 SEA SSS FUL L1

=> d ide

L5 ANSWER 1 OF 1 BEILSTEIN COPYRIGHT 2004 BEILSTEIN MDL on STN

Beilstein Records (BRN): 8708878  
 Chemical Name (CN): 5-methyl-5-phenyl-3-(2,4,6-trichloro-phenylamino)-dihydro-furan-2-one  
 Autonom Name (AUN): 5-methyl-5-phenyl-3-(2,4,6-trichloro-phenylamino)-dihydro-furan-2-one  
 Molec. Formula (MF): C17 H14 Cl3 N O2  
 Molecular Weight (MW): 370.66  
 Lawson Number (LN): 20596, 14134  
 Compound Type (CTYPE): heterocyclic  
 Constitution ID (CONSID): 7376333  
 Tautomer ID (TAUTID): 8207212  
 Entry Date (DED): 2001/04/26  
 Update Date (DUPD): 2001/04/26



Field Availability:

Code	Name	Occurrence
BRN	Beilstein Records	1
CN	Chemical Name	1
AUN	Autonomname	1
MF	Molecular Formula	1
FW	Formular Weight	1
LN	Lawson Number	2
FS	File Segment	1
CTYPE	Compound Type	1
CONSID	Constitution ID	1
TAUTID	Tautomer ID	1
ED	Entry Date	1
UPD	Update Date	1

This substance also occurs in Reaction Documents:

Code	Name	Occurrence
=====		

RX	Reaction Documents	1
RXPRO	Substance is Reaction Product	1

=> log h

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
9.33	222.41

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-1.98

CA SUBSCRIBER PRICE

SESSION WILL BE HELD FOR 60 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 15:01:28 ON 09 NOV 2004